

# Imray Correction Notice

## 2000 Series small format charts

IC2700-1

02 October 2012

### Chart Pack 2700

*Edition Dec 2009*

The following corrections should be noted:

#### Chart 2700+1

*Edition December 2009*

*Date of printing December 2009*

##### 1 Liverpool Bay, Douglas Oil Field

Insert Y pillar Lt buoy FI(5)Y.20s in 53°32'·30N 3°38'·40W (ILNW 53/10)

##### 2 Liverpool Bay, Approaches to Queens Channel

Substitute N card pillar Lt buoy Q1 VQ for Lt V Q1 VQ in 53°31'·01N 3°16'·73W (ILNW 274/10)

##### 3 Anglesey north coast (*buoy removed - see ILNW 96/12*)

Insert spec spher Y Lt buoy FI(5)Y.20s with x topmk in 53°27'·19N 4°28'·84W (ILNW 393/10)

##### 4 Colwyn Bay

Delete Lt Fl.G.10s in 53°17'·59N 3°39'·48W (ILNW 71/11)

##### 5 Holyhead, Inner Harbour (Plan A)

Delete fog signal Horn(1)15s(occas) at Lt in 53°18'·87N 4°37'·07W (ILNW 192/11)

##### 6 Liverpool Bay

Delete N Hoyle VQ Lt buoy in 53°26'·68N 3°30'·58W (ILNW 303/11)

##### 7 Approaches to Menai Strait

Insert safe water pillar Lt buoy Caernarfon Bar LFI.10s in 53°06'·45N 4°25'·00W (ILNW 328/11)

##### 8 Rhyl northwards, Gwynt-y-Môr Wind Farm

Construction works on the Gwynt-y-Môr Wind Farm are now underway. To mark the construction area, insert the following Lt buoys:

W card pillar VQ(9)10s in 53°26'·83N 3°42'·13W

W card pillar Q(9)15s in 53°28'·30N 3°40'·77W

N card pillar Q in 53°29'·67N 3°36'·86W

N card pillar VQ in 53°29'·74N 3°31'·71W

E card pillar VQ(3)5s in 53°27'·13N 3°27'·08W

R can Fl.R.2·5s in 53°24'·90N 3°37'·08W

Insert restricted area line joining these buoys, plus assoc. lgd *Gwynt-y-Môr Wind Farm under construction 2011–14*. (ILNW 349/11)

##### 9 Liverpool Bay

Delete Y spher Lt buoy Wave Recorder FI(5)Y.20s in 53°27'·00N 3°38'·60W (ILNW 421/11)

##### 10 Anglesey north coast

Delete Y spher Lt buoy FI(5)Y.20s in 53°27'·19N 4°28'·84W (ILNW 96/12)

##### 11 Anglesey, Point Lynas

Delete fog signal Horn(1)45s in 53°24'·98N 4°17'·35W (ILNW 422/12)

#### Chart 2700+2

*Edition December 2009*

*Date of printing December 2009*

##### 1 Liverpool Bay, Douglas Oil Field

Insert Y pillar Lt buoy FI(5)Y.20s in 53°32'·30N 3°38'·40W (ILNW 53/10)

## 2 River Conwy (Plan B)

Add Lt Fl.R.6s to R can buoy **C16** in 53°17'·87N 3°50'·48W. (ILNW 180/10)

## 3 Conwy Bay (Plan A)

Insert Lt buoys:

R can **C2** Fl.R.10s in 53°17'·94N 3°54'·52W

G con **C1** Fl.G.10s in 53°17'·83N 3°54'·58W

R can **C2A** Fl(2)R.10s in 53°17'·68N 3°53'·49W

Delete Lt buoys:

R can **C2** Fl(2)R.10s in 53°17'·64N 3°54'·71W

C con **C1** Fl.G.10s in 53°17'·59N 3°53'·44W (ILNW 323/10)

## 4 Anglesey north coast (buoy removed - see ILNW 96/12)

Insert spec spher Y Lt buoy Fl(5)Y.20s with x topmk in 53°27'·19N 4°28'·84W (ILNW 393/10)

## 5 Colwyn Bay

Delete Lt Fl.G.10s in 53°17'·59N 3°39'·48W (ILNW 71/11)

## 6 Conwy (Plan B)

Move Lt LFl.G.15s2M in 53°18'·06N 3°50'·84W to 53°18'·03N 3°50'·86W (ILNW 80/11)

## 7 Approaches to Menai Strait

Insert safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·45N 4°25'·00W (ILNW 328/11)

## 8 Rhyl northwards, Gwynt-y-Môr Wind Farm

Construction works on the Gwynt-y-Môr Wind Farm are now underway. To mark the construction area, insert the following Lt buoys:

R can **GYM S** Fl.R.2·5s in 53°24'·90N 3°37'·08W

W card pillar **GYM W** VQ(9)10s in 53°26'·83N 3°42'·13W

W card pillar **GYM NW** Q(9)15s in 53°28'·30N 3°40'·77W

N card pillar **GYM NNW** Q in 53°29'·67N 3°36'·86W

Insert restricted area line joining these buoys, plus assoc. lgd *Gwynt-y-Môr Wind Farm under construction 2011–14*. (ILNW 349/11)

## 9 Liverpool Bay

Delete Y spher Lt buoy *Wave Recorder* Fl(5)Y.20s in 53°27'·00N 3°38'·60W (ILNW 421/11)

## 10 Anglesey north coast

Delete Y spher Lt buoy Fl(5)Y.20s in 53°27'·19N 4°28'·84W (ILNW 96/12)

## 11 Menai Strait, Beaumaris

Amend Lt to 2Fl.G in 53°15'·67N 4°05'·41W (ILNW 242/12)

## 12 Anglesey, Point Lynas

Delete fog signal Horn(1)45s in 53°24'·98N 4°17'·35W (ILNW 422/12)

## Chart 2700+3

*Edition December 2009*

*Date of printing December 2009*

### 1 Lleyn Peninsula southwestwards, Bardsey Island

Delete fog signal *HornMo(N)45s* at Lt in 52°45'·00N 4°47'·98W (ILNW 192/10)

### 2 Approaches to Menai Strait

Insert safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·45N 4°25'·00W (ILNW 328/11)

### 3 Approaches to Porthmadog

Insert Y can Lt buoy Fl.Y.5s with x topmk in 52°53'·43N 4°11'·84W (ILNW 165/12)

### 4 Lleyn Peninsula, Trwyn Llanbedrog

Replace R bn with G bn with triangular topmk in 52°51'·08N 4°28'·27W (ILNW 216/12)

## Chart 2700+4

*Edition December 2009*

*Date of printing December 2009*

**1 Lleyn Peninsula southwestwards, Bardsey Island**

Delete fog signal *HornMo(N)45s* at Lt in 52°45'·00N 4°47'·98W (ILNW 192/10)

**2 Colwyn Bay**

Delete Lt Fl.G.10s in 53°17'·59N 3°39'·48W (ILNW 71/11)

**3 Approaches to Menai Strait**

Insert safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·45N 4°25'·00W (ILNW 328/11)

**Chart 2700+5**

*Edition December 2009*

*Date of printing December 2009*

**1 Lleyn Peninsula southwestwards, Bardsey Island**

Delete fog signal *HornMo(N)45s* at Lt in 52°45'·00N 4°47'·98W (ILNW 192/10)

**2 Approaches to Porthmadog**

Insert Y can Lt buoy Fl.Y.5s with x topmk in 52°53'·43N 4°11'·84W (ILNW 165/12)

**3 Lleyn Peninsula, Trwyn Llanbedrog**

Replace R bn with G bn with triangular topmk in 52°51'·08N 4°28'·27W (ILNW 216/12)

**4 Barmouth**

Amend Lt to Q(6)+LFl.15s in 52°42'·83N 4°03'·74W (ILNW 221/12)

**Chart 2700+6**

*Edition December 2009*

*Date of printing December 2009*

No corrections are currently available for this chart.

**Chart 2700+7**

*Edition December 2009*

*Date of printing December 2009*

**1 Carnsore Point southwestwards**

Delete Y spec pillar Lt buoy Fl(4)Y.10s, plus assoc. *A/S*, in 52°08'·22N 6°24'·93W. (ILNW 495/09)

**2 Waterford Harbour entrance, Hook Head**

Delete fog signal *Horn(2)45s* at Hook Head Lt in 52°07'·42N 6°55'·77W (ILNW 10/11)

**3 Tuskar Rock**

Delete fog signal *Horn(4)45s* at Tuskar Rock Lt in 52°12'·17N 6°12'·44W (ILNW 11/11)

**4 Skokholm Island**

Reduce range of Lt to Fl.WR.10s54m8M in 51°41'·63N 5°17'·22W (ILNW 54/12)

**Chart 2700+8**

*Edition December 2009*

*Date of printing December 2009*

**1 Menai Strait, Dutchman Bank northwestwards**

Delete G con buoy in 53°18'·03N 4°02'·66W (ILNW 460/10)

**2 Menai Strait**

Move R can Lt buoy **C14** in 53°10'·37N 4°15'·10W to 53°10'·23N 4°15'·41W (ILNW 461/10)

**3 Menai Strait**

Move **C9** G con buoy in 53°10'·65N 4°14'·00W to 53°10'·70N 4°13'·84W and add Lt Fl(3)G.10s (ILNW 189/11)

**4 Caernarfon Bar Buoys**

Recent survey data has revealed significant changes to the depths at Caernarfon Bar. As a result, the

channel buoys have been moved to mark a new and deeper navigable channel.

Move Lt buoys:

**C1** Fl.G.5s to 53°06'·75N 4°24'·25W

**C2** Fl.R.10s to 53°06'·85N 4°24'·37W

**C3** Q.G to 53°07'·09N 4°23'·80W

**C4** Q.R to 53°07'·20N 4°23'·00W

**C5** Fl(2)G.5s to 53°07'·12N 4°23'·35W

**C6** Fl.R.5s to 53°07'·15N 4°21'·95W

Full details of these changes will be included on the next edition of this chart. In the meantime, mariners are advised to consult the chartlet on the Caernarfon Harbour Trust website ([www.caernarfonharbour.co.uk](http://www.caernarfonharbour.co.uk)). (ILNW 286/11)

#### 5 Llanddwyn Island (Plan E)

Delete Lt buoys:

**C1** Fl.G.5s in 53°07'·26N 4°24'·85W

**C2** Fl.R.10s in 53°07'·38N 4°24'·87W

**C3** Q.G in 53°07'·42N 4°24'·16W (ILNW 287/11)

#### 6 Menai Strait

Add Lt Fl(2)G.10s to *Traeth Gwyllt* G con buoy in 53°09'·26N 4°16'·10W (ILNW 304/11)

#### 7 Approaches to Menai Strait

Insert safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·45N 4°25'·00W (ILNW 328/11)

#### 8 Menai Strait, Bangor Pool (Main chart & Plan A)

Move Y can buoy in 53°14'·12N 4°08'·12W to 53°14'·10N 4°08'·29W. (ILNW 218/12)

#### 9 Menai Strait

Replace G bn with Y bn with x topmk in 53°10'·37N 4°15'·44W (ILNW 219/12)

#### 10 Beaumaris (Main chart & Plan A)

Amend Lt to 2Fl(3)G.10s6M in 53°15'·67N 4°05'·41W (ILNW 242/12)

### Chart 2700+9

*Edition December 2009*

*Date of printing December 2009*

#### 1 Pwllheli (Plan B)

There have been significant changes to the navigation lights and aids in the entrance of Pwllheli harbour.

Add Lts:

Fl.G.5s to G bn in 52°53'·21N 4°23'·85W

Fl.G.7·5s to G bn in 52°53'·16N 4°23'·90W

Fl.G.12·5s to G bn in 52°53'·05N 4°24'·04W

Amend Lts:

Fl.G.5s to Fl.G.10s in 52°53'·08N 4°23'·98W

Fl.G.10s to Fl.G.15s in 52°53'·04N 4°24'·25W

Delete:

Lt 2F.G(vert) in 52°53'·14N 4°24'·41W

R can buoy in 52°53'·08N 4°24'·44W

R can Lt buoy Fl.R.10s in 52°53'·02N 4°24'·29W

R can Lt buoy Fl.R.5s in 52°53'·04N 4°23'·99W

The channel is now marked by a series of lit port-hand marks. Mariners are also advised that depths within the harbour may be less than those charted.

Full details will be included on the next edition of this chart. In the meantime, mariners are advised to consult the Hafan Pwllheli website ([www.hafanpwllheli.co.uk](http://www.hafanpwllheli.co.uk)) for further information. (ILNW 499/11)

#### 2 Pwllheli (Plan B)

Insert Y con Lt buoy Fl.Y.5s in 52°52'·74N 4°23'·94W (ILNW 217/12)

#### 3 Barmouth (Plan E)

Amend Lt to Q(6)+LFl.15s, and delete name **Y Perch**, in 52°42'·83N 4°03'·74W (ILNW 221/12)

#### 4 Aberdovey (Plan F)

Delete R can Lt buoy **No2** Fl.R.5s in 52°32'·05N 4°04'·81W (ILNW 334/12)

**Chart 2700+10**

*Edition December 2009*

*Date of printing December 2009*

**1 Approaches to Porthmadog**

Insert Y can Lt buoy Fl.Y.5s with x topmk in 52°53'·43N 4°11'·84W (ILNW 165/12)

**2 Lleyn Peninsula, Trwyn Llanbedrog**

Replace R bn with G bn with triangular topmk in 52°51'·08N 4°28'·27W (ILNW 216/12)

**3 Barmouth**

Amend Lt to Q(6)+LFl.15s in 52°42'·83N 4°03'·74W (ILNW 221/12)